AUTHOR INDEX

Allan, D. S., 139
Ando, T., 11
Andres, K., 49
Armes, S. P., 171

Baozhen Yan, 79
Baughman, R. H., 121
Becher, J., 227
Ben Salem, A., 207
Bender, K., 49
Bergstrom, D. F., 139
Boldyrev, A. I., 345
Bontempelli, G., 365
Brant, P., 197
Bryce, M. R., 25, 203

Calvert, J. M., 197
Clark, R. A., 227
Czerwiński, W., 71

Davies, S. R., 25
Dormann, E., 157

Eckhardt, H., 121
Elert, M. L., 109
El Kadiri, M., 299

Faruffini, V., 375
Fatseas, G., 207
Fesser, K., 1
Fink, J., 71
Funt, B. L., 235
Furlani, A., 375

Geniès, E. M., 29
Gross, F., 49
Gutsev, G. L., 345

Hagiwara, T., 243
Haimerl, A., 89
Hanack, M., 341
Hany, P., 29, 311
Heidmann, C. P., 49
Hishinuma, M., 103

Inagaki, M., 181
Ito, T., 103
Iwata, K., 243

Jing Yang, 79

Kaeriyama, K., 277
Kamaras, K., 189
Kamiya, K., 59, 253
Kanbara, H., 323
Klutz, T., 49
Kobayashi, H., 289
Kobayashi, M., 39
Koezuka, H., 11
Koike, T., 265, 289
Komatsubara, K. F., 39
Kondow, T., 385
Kuroda, H., 323

Lapkowski, M., 29
Lo Coco, F., 365

MacInnes, D., Jr., 235
Meerschaut, A., 207
Menardo, C., 311
Merz, A., 89
Milliken, J., 197
Mintmire, J. W., 109
Molinie, P., 207
Moore, A. J., 203
Mori, T., 323

Nechtschein, M., 311
Niwa, S., 289
Nowak, R. J., 197
Nücker, N., 71

Oh-Kil Kim, 333
Olmedo, L., 29
Osawa, Y., 289
Ovchinnikov, A. A., 345
Owen, A. J., 89

Pace, M. D., 333
Parneix, J. P., 289
Pehrsson, P. E., 197
Polzonetti, G., 375
Probst, Ch., 49

Rasmussen, P. G., 139
Renyuan Qian, 79
Rindorf, G., 189
Rousseau, A., 311
Russo, M. V., 375

Sachs, G., 157
Saito, G., 323
Sanechika, K., 103
Santier, Ch., 29
Sato, M.-A., 277
Sato, S., 385
Shacklette, L. W., 121
Schiavon, G., 365, 393
Schweitzer, D., 49

Tajima, H., 323
Takeno, S., 39
Tanaka, J., 59, 253
Tanaka, K., 265, 289
Tanaka, S., 277
Tanokura, Y., 385
Tanuma, S., 39
Thorup, N., 189
Toftlund, H., 227
Tomat, R., 393
Tomono, Y., 385
Tourillon, G., 299
Travers, J. P., 311
Tsumura, A., 11

Ueda, M., 265
Ulitsky, A. V., 345
Underhill, A. E., 227

Varma, K. S., 227
Vincent, B., 171

Wang, Z. D., 181
Weber, D. C., 197
Weger, M., 49
White, C. T., 109
Wolf, J. F., 121

Yakushi, K., 323
Yamabe, T., 265, 289
Yamamoto, T., 103
Yamaura, M., 243
Yasuda, N., 289
Yata, S., 265
Yong Cao, 79
Yongfang Li, 79

Zecchin, S., 393
Zipplies, T., 341
Zotti, G., 365, 393

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

A.c. complex conductivity
of lightly-doped poly-3-methylthiophene, 299
Anisotropic field theory
interchain coupling in conducting polymers, 1
Anodic coupling
polynaphthylene films from, of naphthalene, 393

BEDT–TTF complexes
temperature dependence of reflectance spectrum of bis-(ethylenedithio)tetrathiafulvalenium perchlorate, $(BEDT–TTF)_3(ClO_4)_2$, 323
temperature and pressure dependence of resistivity of β-$(BEDT–TTF)_2X$ ($X = I_3$, I_2Au) and α_t-$(BEDT–TTF)_2I_3$, 49
Benzene
free-standing, conducting films of pyrrole/*N*-(4-ferrocenylbutyl-)-pyrrole benzene-sulphonate copolymers, 89

Conducting films
of pyrrole/*N*-(4-ferrocenylbutyl-)-pyrrole benzene-sulphonate copolymers, free-standing, 89
Conducting polymer(s)
interchain coupling in; anisotropic field theory, 1
new soluble; poly-*o*-methoxyaniline, 235
Conducting properties
and EPR of polyphenothiazine and polyphenoxazine ladder polymers, 333
Conductivity
and photoconductivity measurements of polyaniline films, *in situ*, 29
Copolymers
based on phenylene and thiophene units, electronic structure of, 71
free-standing, conducting films of pyrrole/*N*-(4-ferrocenylbutyl-)-pyrrole benzene-sulphonate, 89
Crystal structure
of 1:1 complex of tetrathiafulvalene and *meta*-dinitrobenzene (TTF–*m*DNB), solid state characterization and X-ray, 25
Cyanoimidazole acceptors
electron donors and; cyclic voltammetry and molecular orbital study, 139
Cyclic voltammetry
and molecular orbital study; electron donors and cyanoimidazole acceptors, 139

meta-Dinitrobenzene
solid state characterization and X-ray crystal structure of 1:1 complex of tetrathiafulvalene and, (TTF–*m*DNB), 25
Doping behaviour
of poly(2,5-pyridinediyl), 103

Electrical properties
of iodine-doped $(CH)_x$ and $(CD)_x$, comparative studies on, 253
Electrochemical preparation
and properties of poly(3-methoxy-2,5-thiophenediyl) and poly(3-methylthio-2,5-thiophenediyl), 277
Electrochemistry
of TCNQ complex of 9,10-anthracenediylidene-2,2′-bis(4,5-dimethyl-1,3-dithiole); new highly-conjugated TTF analogue, 203
Electron donors
and cyanoimidazole acceptors; cyclic voltammetry and molecular orbital study, 139
Electron paramagnetic resonance
of polyphenothiazine and polyphenoxazine ladder polymers, conducting properties and, 333
Electronic transfer
in intercalation processes; transfer and localization in $Li_yFe_{1.33}Nb_{2.67}Se_{10}$ phases, 207
Electronic structure(s)
of copolymers based on phenylene and thiophene units, 71

© Elsevier Sequoia/Printed in The Netherlands

of heterocyclic ring chain polymers, conformation and, 109
of Si-containing polymers with unsaturated bonds, 289
of substituted all-*trans*-polyenes, 345
Electrosynthesis
of poly-2,5-pyridine promoted by Ni complexes, 365

Field-effect transistor
polythiophene; its characteristics and operation mechanism, 11
$(Fluoranthene)_2PF_6$
'real' single crystals of organic conductor; n.m.r. study, 157

Gold
temperature and pressure dependence of resistivity of β-(BEDT–TTF)$_2$X (X = I_3, I_2Au) and α_t-(BEDT–TTF)$_2I_3$, 49
Graphite intercalation compounds
H absorption process by GIC $C_{24}Rb$ at liquid N temperature, 385
metal chloride–, formation of, in molten salts, 181
$SiCl_4$–, coherent soft X-ray standing waves in, 39

Heterocyclic ring chain polymers
conformation and electronic structure of, 109
Hydrogen absorption process
by GIC $C_{24}Rb$ at liquid N temperature, 385

Intercalation processes
electronic transfer in; transfer and localization in $Li_yFe_{1.33}Nb_{2.67}Se_{10}$ phases, 207
Interchain coupling
in conducting polymers; anisotropic field theory, 1
Iodine
comparative studies on electrical and optical properties of I-doped $(CH)_x$ and $(CD)_x$, 253
optical spectra and optical conductivities of I-doped polyacetylene, 59
temperature and pressure dependence of resistivity of β-(BEDT–TTF)$_2$X (X = I_3, I_2Au) and α_t-(BEDT–TTF)$_2I_3$, 49
Iron
electronic transfer in intercalation processes; transfer and localization in $Li_yFe_{1.33}Nb_{2.67}Se_{10}$ phases, 207

Latexes
polyacetylene, post-doping of sterically-stabilized, 171
Lithium
electronic transfer in intercalation processes; transfer and localization in $Li_yFe_{1.33}Nb_{2.67}Se_{10}$ phases, 207

Metal chloride
–GICs in molten salts, formation of, 181
Metal complexes
preparation and properties of a series of conducting, based on 2,3-dithiolatoquinoxaline, 2,3,5,6-tetrathiolatopyrazine and 2,3,7,8-tetrathiolato-bis[1,4]dithiino-[2,3-*b*:2′,3′-*e*]pyrazine, 227
Molecular orbital study
cyclic voltammetry and; electron donors and cyanoimidazole acceptors, 139

Naphthalene
polynaphthylene films from anodic coupling of, 393
Nickel complexes
electrosynthesis of poly-2,5-pyridine promoted by, 365
Niobium
electronic transfer in intercalation processes; transfer and localization in $Li_yFe_{1.33}Nb_{2.67}Se_{10}$ phases, 207
n.m.r. study
^{13}C, and titration studies; investigation on structure of polyaniline, 311
'real' single crystals of organic conductor $(fluoranthene)_2PF_6$, 157

Optical conductivities
of iodine-doped polyacetylene, optical spectra and, 59
Optical properties
of iodine-doped $(CH)_x$ and $(CD)_x$, comparative studies on electrical and, 253
Optical spectra
and optical conductivities of I-doped polyacetylene, 59
Organic conductor
$(fluoranthene)_2PF_6$, 'real' single crystals of; n.m.r. study, 157

Oxygen
mixed O-bridged metal (phthalocyaninato)(tetrabenzoporphyrinato)polymer, attempts to synthesize, 341

Phenylene
electronic structure of copolymers based on, and thiophene units, 71
Photoconductivity
measurements of polyaniline films, *in situ* conductivity and, 29
(Phthalocyaninato)(tetrabenzoporphyrinato)polymer
attempts to synthesize mixed O-bridged metal, 341
Polyacenic materials
X-ray diffraction studies of pristine and heavily-doped, 265
Polyacetylene
doping of, to metallic state using thionyl chloride, 197
I-doped $(CH)_x$ and $(CD)_x$, comparative studies on electrical and optical properties of, 253
I-doped, optical spectra and optical conductivities of, 59
Polyacetylene latexes
post-doping of sterically-stabilized, 171
Polyaniline
acceptor-doped; structure of novel polymeric metal, 121
investigation on structure of, ^{13}C n.m.r. and titration studies, 311
spectroelectrochemical studies of, 79
thermal stability of, 243
Polyaniline films
in situ conductivity and photoconductivity measurements of, 29
Polyenes
electronic structure of substituted all-*trans*-, 345
Polyethynylferrocene
X-ray photoelectron spectroscopy of I-doped, 375
Polymeric metal
structure of novel; acceptor-doped polyaniline, 121
Poly-*o*-methoxyaniline
new soluble conducting polymer, 235
Poly(3-methoxy-2,5-thiophenediyl)
electrochemical preparation and properties of, 277
Poly-3-methylthiophene
a.c. complex conductivity of lightly-doped, 299
Poly(3-methylthio-2,5-thiophenediyl)
electrochemical preparation and properties of, 277
Polynaphthylene films
from anodic coupling of naphthalene, 393
Polyphenothiazine
and polyphenoxazine ladder polymers, conducting properties and EPR of, 333
Polyphenoxazine
conducting properties and EPR of polyphenothiazine and, ladder polymers, 333
Poly-2,5-pyridine
electrosynthesis of, promoted by Ni complexes, 365
Poly(2,5-pyridinediyl)
doping behaviour of, 103
Polythiophene
field-effect transistor; its characteristics and operation mechanism, 11
Pressure
dependence of resistivity of β-(BEDT–TTF)$_2$X (X = I_3, I_2Au) and α_t-(BEDT–TTF)$_2I_3$, temperature and, 49
Pyrazine complexes
preparation and properties of series of conducting metal complexes based on 2,3-dithiolatoquinoxaline, 2,3,5,6-tetrathiolatopyrazine and 2,3,7,8-tetrathiolato-bis[1,4]-dithiino-[2,3-*b*:2′,3′-*e*]pyrazine, 227
Pyrrole
free-standing, conducting films of pyrrole/*N*-(4-ferrocenylbutyl-)-pyrrole benzene-sulphonate copolymers, 89

Quinolinium
structure of *N*-(n-propyl)-quinolinium –$(TCNQ)_2$ at 100 K, 189
Quinoxaline complexes
preparation and properties of series of conducting metal complexes based on 2,3-dithiolatoquinoxaline, 2,3,5,6-tetrathiolatopyrazine and 2,3,7,8-tetrathiolato-bis[1,4]-dithiino-[2,3-*b*:2′,3′-*e*]pyrazine, 227

Resistivity
of β-(BEDT–TTF)$_2$X (X = I_3, I_2Au) and α_t-(BEDT–TTF)$_2I_3$, temperature and pressure dependence of, 49
Rubidium
H absorption process by GIC $C_{24}Rb$ at liquid N temperature, 385

Selenium
electronic transfer in intercalation processes; transfer and localization in $Li_yFe_{1.33}Nb_{2.67}Se_{10}$ phases, 207
Silicon
electronic structures of Si-containing polymers with unsaturated bonds, 289
$SiCl_4$–GICs, coherent soft X-ray standing waves in, 39
Solid state characterization
and X-ray crystal structure of 1:1 complex of tetrathiafulvalene and *meta*-dinitrobenzene (TTF–*m*DNB), 25
Spectroelectrochemical studies
of polyaniline, 79

TCNQ complex(es)
of 9,10-anthracenediylidene-2,2′-bis(4,5-dimethyl-1,3-dithiole), synthesis, electrochemistry and conducting; new highly-conjugated TTF analogue, 203
structure of *N*-(n-propyl)-quinolinium –(TCNQ)$_2$ at 100 K, 189
Temperature dependence
of reflectance spectrum of bis-(ethylenedithio)tetrathiafulvalenium perchlorate, (BEDT–TTF)$_3$(ClO_4)$_2$, 323
of resistivity of β-(BEDT–TTF)$_2$X (X = I_3, I_2Au) and α_t-(BEDT–TTF)$_2I_3$, and pressure, 49
Tetrathiafulvalene
solid state characterization and X-ray crystal structure of 1:1 complex of, and *meta*-dinitrobenzene (TTF–*m*DNB), 25
Thermal stability
of polyaniline, 243
Thionyl chloride
doping of poly(acetylene) to metallic state using, 197
Thiophene
electronic structure of copolymers based on phenylene and, units, 71
Titration studies
investigation on structure of polyaniline; ^{13}C n.m.r. and, 311
TTF analogue
new highly-conjugated; synthesis, electrochemistry and conducting TCNQ complex of 9,10-anthracenediylidene-2,2′-bis(4,5-dimethyl-1,3-dithiole), 203

X-ray diffraction studies
of pristine and heavily-doped polyacenic materials, 265
X-ray photoelectron spectroscopy
of I-doped polyethynylferrocene, 375
X-ray standing waves
coherent soft, in $SiCl_4$–graphite intercalation compounds, 39